Author Index of Volume 186

Abraham, R., 347
Ahn, S. T., 45
Andruszkiewicz, R., 369
Aoki, K., 15

Bala, H., 201
Baudry, A., 241
Bonhomme, F., 209, 309
Boyer, P., 241
Brun, G., 249
Buschow, K. H. J., L11, 135

Chen, G., 233
Cheng, L. Z., 33, 37
Chu, Z. Q., 217
Cohen-Adad, M. T., 347
Cordier, G., 161
Csach, K., 361

Diko, P., 361
Dong, Y. D., 217
Dörsam, G., 161
Dose, T., 187
Durussel, Ph., L17

El-Eskandarany, M. S., 15
Evers, C., 223

Feschotte, P., L17
Fischer, P., 209, 309
Franzen, H. F., L7
Fruchart, D., 135, 241

Geibel, C., 181
Gesing, T. M., 321
Gnatenko, M. V., 89
Górecki, J., 279
Grössinger, R., L11
Gudat, A., 339

Haeuseler, H., 147
Henseleit, R., 161
Hevesi, I., L1
Ho, K. Y., 33, 37
Hou, S., 267

Isnard, O., 135
Ivanov, M. I., 255

Jacobs, T. H., 135
Jeitschko, W., 223, 321
Jondo, T. K., 347
Jorda, J. L., 347

Kaczorowski, D., 333
Kasardova, A., 361
Kim, Y. G., 45
Kinawy, N. I., L1
Kniep, R., 111, 339
Krewenka, R., L11
Kuhlmann, U., 187

Łaczka, M., 279
Langlais, F., 65, 77
Le Roy, J., 249
Lee, J. Y., 45
Lengauer, W., 293
Li, X., 315
Liautard, B., 249
Liu, L., 217
Liu, X., 315
Lundström, T., 187

Mackay, R., L7
Maier, J., 339
Malik, A. U., 1
Malik, M., 201
Mehner, A., 161
Miraglia, S., 241
Miskuf, J., 361
Mobin, M., 1
Monachon, F., L17
Moreau, J. M., 249
Moss, M. A., 223
Müller-Buschbaum, H. K., 105

Nánai, L., L1
Naslain, R., 65, 77
Niedźwiedź, K., 53
Nowak, B., 53
Nozières, J. P., 201

Ossi, P. M., 153

Pang, W., 267
Peterson, J. R., 233
Pfeiff, R., 111
Pontonnier, L., 241
Pöttgen, R., 223, 321

Qiu, S., 267

Sipp, E., 65, 77
Sirotinkin, S. P., 89
Soubeyroux, J. L., 135, 241
Steinhorst, M., 177
Stoch, L., 279
Stoklosa, H., 201
Stomberg, R., 271
Stork, H. J., 147
Sun, D. Z., 33, 37
Suzuki, K., 15
Szymura, S., 201

Taylor, D. W., 201
Thies, S., 161
Tian, Y., 267

Udod, I. A., 89

Vajtai, R., L1
Vassilev, G. P., 99
Weinreich, J., 105
Werheit, H., 187
Witusiewicz, V. T., 255
Wortmann, U., 321

Xu, B., 315

Yvon, K., 209, 309

Zhang, Y. M., 33
Zhao, M., 315
Zhou, F., 267
Żogał, O. J., 53

Subject Index of Volume 186

Aluminium
  calorimetric study of solid-state amorphization reaction of rod-milled Al_xTa_{1-x} alloy powders, 15
  formation of the amorphous phase in Zr_2Al by H absorption and the effects of Ti substitution on the amorphization behaviour, 45
  new ternary RE–silver aluminides (RE ≡ La, Ce, Pr, Yb) with puckered Ag–Al Kagomé nets, 161
  quaternary selenodiphosphates(IV): $M^IM^{III}[P_2Se_6]$, (M^I = Cu, Ag; M^{III} = Cr, Al, Ga, In), 111
Anisotropy fields
  anisotropy fields in tetragonal $RFe_{10}V_2$ compounds, L11

Barium
  analysis of $YBa_2Cu_3O_{7-\delta}$ crystal growth from $BaCO_3$–CuO–Y_2O_3 charges, 361
  BaO–$TlO_{1.5}$ system, 347
Binary liquid alloys
  thermochemistry of binary liquid alloys of silver with rare earth metals, 255
Bismuth
  Bi-containing glasses as materials for optoelectronics, 279
Boron
  corrosion behaviour of hot-worked Nd–Fe–B and Nd–Fe–Cu–B permanent magnets, 201
  influence of interstitially soluted iron on structural, optical and electrical properties of β-rhombohedral boron, 187
  single-phase $Nd_2Fe_{14}B$ by co-reduction, 177

Calcium
  Ca[($Ni_{1-x}Li_x$)N]: limited solid solutions ($0 \leqslant x \leqslant 0.58$) in the system Ca[NiN] (Y[CoC]-type structure)–Ca[LiN] (modified fluorite-type structure), 339
  on the Mo–Ca–O system, 369
Calorimetry
  calorimetric study of solid-state amorphization reaction of rod-milled Al_xTa_{1-x} alloy powders, 15
  calorimetry study about $Ni_{50}Ti_{50}$ ball milled powders, 33
Carbides
  crystal structure and physical properties of the carbides UAl_3C_3 and $YbAl_3C_3$, 321
  structural and magnetic behaviour of the series $Th_2Fe_{17}C_x$ (x = 0 to 1.25), 135
  structure refinement of $Ce_2Ni_{22}C_{3-x}$ and properties of the isotypic carbides $Ln_2Ni_{22}C_{3-x}$ (Ln ≡ La–Nd, Sm, Gd–Ho), 223
Ceramics
  kinetics of deposition of zirconia-based ceramics from $ZrCl_4$–H_2–CO_2–Ar gas mixtures, 65
Cerium
  structure refinement of $Ce_2Ni_{22}C_{3-x}$ and properties of the isotypic carbides $Ln_2Ni_{22}C_{3-x}$ (Ln ≡ La–Nd, Sm, Gd–Ho), 223
Chemical vapor deposition
  CVD of Y_2O_3 from YCl_3–CO_2–H_2–Ar gas mixtures: an experimental study, 77
Cobalt
  zinc thermodynamic activities in Co–Ni–Znβ′1 and β1 phases, 99
Cohesion
  band structure influence on cohesion in quasi-crystals, 153
Copper
  amorphization in an immiscible Cu–Ta system by mechanical alloying, 217
  corrosion behaviour of hot-worked Nd–Fe–B and Nd–Fe–Cu–B permanent magnets, 201
  quaternary selenodiphosphates(IV): $M^IM^{III}[P_2Se_6]$, (M^I = Cu, Ag; M^{III} = Cr, Al, Ga, In), 111

Deposition kinetics
kinetics of deposition of zirconia-based ceramics from $ZrCl_4$–H_2–CO_2–Ar gas mixtures, 65
Deuterium
$MgRhD_{1-x}$, a new interstitial deuteride containing square planar $[Rh_4D_4]$ rings with nearly linear Rh–D–Rh bridges, 209
Direct hydrothermal crystallization
luminescent properties of RE–silicalite-I and RE–ZSM-5 zeolites synthesized by direct hydrothermal crystallization, 267

Fluorite
$Ca[(Ni_{1-x}Li_x)N]$: limited solid solutions ($0 \leqslant x \leqslant 0.58$) in the system Ca[NiN] (Y[CoC]-type structure)–Ca[LiN] (modified fluorite-type structure), 339

Gallium
phase relationships in the systems MGa_2S_4–MSc_2S_4, 147
quaternary selenodiphosphates(IV): $M^IM^{III}[P_2Se_6]$, (M^I = Cu, Ag; M^{III} = Cr, Al, Ga, In), 111
Glasses
Bi-containing glasses as materials for optoelectronics, 279
extreme glass forming range for amorphization by mechanical alloying, 37
Gold
characterization of $Sr_5Au_2O_8$, 105
Graphite intercalation compounds
synthesis and X-ray diffraction study of graphite intercalation compounds with multilayered metallic packages, 89

Hydrides
^{47}Ti and ^{49}Ti nuclear magnetic resonance in TiH_2, 53
structural study of hyperstoichiometric alloys $ZrMn_{2+x}$ and their hydrides, 241
tetragonal trimagnesium ruthenium trideuteride, Mg_3RuD_3, containing dinuclear $[Ru_2D_6]^{12-}$ complex anions, 309
Hydrogen
formation of the amorphous phase in Zr_2Al by H absorption and the effects of Ti substitution on the amorphization behaviour, 45

Indium
quaternary selenodiphosphates(IV): $M^IM^{III}[P_2Se_6]$, (M^I = Cu, Ag; M^{III} = Cr, Al, Ga, In), 111
IR lasers
mechanical properties of V_2O_5 polycrystals grown by laser light irradiation, L1
Iron
corrosion behaviour of hot-worked Nd–Fe–B and Nd–Fe–Cu–B permanent magnets, 201
influence of interstitially soluted iron on structural, optical and electrical properties of β-rhombohedral boron, 187
single-phase $Nd_2Fe_{14}B$ by co-reduction, 177
structural and magnetic behaviour of the series $Th_2Fe_{17}C_x$ ($x = 0$ to 1.25), 135

Kagomé nets
new ternary RE–silver aluminides (RE ≡ La, Ce, Pr, Yb) with puckered Ag–Al Kagomé nets, 161

Lanthanide sesquioxides
systematics of the phase behaviour in lanthanide sesquioxides, 233
Lanthanum
XPS study of absorbed oxygen of nanocrystalline $LaFeO_3$ materials, 315
Laser light irradiation
mechanical properties of V_2O_5 polycrystals grown by laser light irradiation, L1
Lead
Bi-containing glasses as materials for optoelectronics, 279

Magnesium
tetragonal trimagnesium ruthenium trideuteride, Mg_3RuD_3, containing dinuclear $[Ru_2D_6]^{12-}$ complex anions, 309

Magnetism
structural and magnetic behaviour of the series $Th_2Fe_{17}C_x$ ($x=0$ to 1.25), 135
Manganese
structural study of hyperstoichiometric alloys $ZrMn_{2+x}$ and their hydrides, 241
Mechanical alloying
extreme glass forming range for amorphization by mechanical alloying, 37
Molybdenum
on the Mo–Ca–O system, 369

Neodymium
corrosion behaviour of hot-worked Nd–Fe–B and Nd–Fe–Cu–B permanent magnets, 201
single-phase $Nd_2Fe_{14}B$ by co-reduction, 177
Neutron powder diffraction
structural and magnetic behaviour of the series $Th_2Fe_{17}C_x$ ($x=0$ to 1.25), 135
Nickel
calorimetry study about $Ni_{50}Ti_{50}$ ball milled powders, 33
single crystal X-ray study of Zr_3NiO, L7
structure refinement of $Ce_2Ni_{22}C_{3-x}$ and properties of the isotypic carbides $Ln_2Ni_{22}C_{3-x}$ (Ln≡La–Nd, Sm, Gd–Ho), 223
zinc thermodynamic activities in Co–Ni–Zn$\beta'1$ and $\beta1$ phases, 99
Nitrides
bulk δ-TiN_{1-x} prepared by Ni diffusion into Ti metal, 293
Nuclear magnetic resonance
^{47}Ti and ^{49}Ti nuclear magnetic resonance in TiH_2, 53

Oxidation
bulk δ-TiN_{1-x} prepared by Ni diffusion into Ti metal, 293
Oxygen
on the Mo–Ca–O system, 389
XPS study of adsorbed oxygen of nanocrystalline $LaFeO_3$ materials, 315

Peroxomolybdates
studies on peroxomolybdates XVII: Synthesis and structure of tri-(ammonium) fluoride difluorooxodiperoxomolybdate(VI), $(NH_4)_3F$-$[MoF_2O(O_2)_2]$, 271
Phase relationships
phase relationships in the systems MGa_2S_4–MSc_2S_4, 147
Polarization
^{47}Ti and ^{49}Ti nuclear magnetic resonance in TiH_2, 53

Quasi-crystals
band structure influence on cohesion in quasi-crystals, 153

Rare earth
luminescent properties of RE–silicalite-I and RE–ZSM-5 zeolites synthesized by direct hydrothermal crystallization, 267
thermochemistry of binary liquid alloys of silver with rare earth metals, 257
Rare earths
new ternary RE–silver aluminides (RE≡La, Ce, Pr, Yb) with puckered Ag–Al Kagomé nets, 161
Rhodium
$MgRhD_{1-x}$, a new interstitial deuteride containing square planar $[Rh_4D_4]$ rings with nearly linear Rh–D–Rh bridges, 209
Ruthenium
tetragonal trimagnesium ruthenium trideuteride, Mg_3RuD_3, containing dinuclear $[Ru_2D_6]^{12-}$ complex anions, 309

Scandium
phase relationships in the systems MGa_2S_4–MSc_2S_4, 147
Selenodiphosphates
quaternary selenodiphosphates(IV): $M^IM^{III}[P_2Se_6]$, (M^I=Cu, Ag; M^{III}=Cr, Al, Ga, In), 111
Silver
a new phase in the Tl–Ag–Te system: crystal structure of $Tl_4Ag_{24-x}Te_{15-y}$, 249
new ternary RE–silver aluminides (RE≡La, Ce, Pr, Yb) with puckered Ag–Al Kagomé nets, 161

quaternary selenodiphosphates(IV): $M^{I}M^{III}[P_2Se_6]$, (M^{I} = Cu, Ag; M^{III} = Cr, Al, Ga, In), 111
the binary system Sb–Ag: a revision of the Ag_3Sb phase boundaries, L17
thermochemistry of binary liquid alloys of silver with rare earth metals, 255
Sodium chloride
interactions of transition metal carbides and sodium chloride in the temperature range 900–1200 K in O, 1
Strontium
characterization of $Sr_5Au_2O_8$, 105
Sulphur
single crystal X-ray study of Zr_3NiO, L7

Tantalum
amorphization in an immiscible Cu–Ta system by mechanical alloying, 217
calorimetric study of solid-state amorphization reaction of rod-milled Al_xTa_{1-x} alloy powders, 15
Tellurium
a new phase in the Tl–Ag–Te system: crystal structure of $Tl_4Ag_{24-x}Te_{15-y}$, 249
Thallium
a new phase in the Tl–Ag–Te system: crystal structure of $Tl_4Ag_{24-x}Te_{15-y}$, 249
BaO–$TlO_{1.5}$ system, 347
Thermodynamics
extreme glass forming range for amorphization by mechanical alloying, 37
zinc thermodynamic activities in Co–Ni–Zn$\beta'1$ and $\beta1$ phases, 99
Thermogravimetry
interactions of transition metal carbides and sodium chloride in the temperature range 900–1200 K in O, 1
Thorium
structural and magnetic behaviour of the series $Th_2Fe_{17}C_x$ (x = 0 to 1.25), 135
Titanium
^{47}Ti and ^{49}Ti nuclear magnetic resonance in TiH_2, 53
calorimetry study about $Ni_{50}Ti_{50}$ ball milled powders, 33
formation of the amorphous phase in Zr_2Al by H absorption and the effects of Ti substitution on the amorphization behaviour, 45
bulk δ-TiN_{1-x} prepared by Ni diffusion into Ti metal, 293
Transition metals
structural and magnetic properties of some new U ternary pnictides: UTX_2 (T ≡ Fe, Co, Ni, Cu; X ≡ P, As, Sb, Bi), 333
studies of the interactions of transition metal carbides and sodium chloride in the temperature range 900–1200 K in O, 1

Uranium
crystal structure and physical properties of the carbides UAl_3C_3 and $YbAl_3C_3$, 321
structural and magnetic properties of some new U ternary pnictides: UTX_2 (T ≡ Fe, Co, Ni, Cu; X ≡ P, As, Sb, Bi), 333

X-ray diffraction
amorphization in an immiscible Cu–Ta system by mechanical alloying, 217
synthesis and XRD study of graphite intercalation compounds with multilayered metallic packages, 89
the binary system Sb–Ag: a revision of the Ag_3Sb phase boundaries, L17
X-ray powder diffraction
single crystal X-ray study of Zr_3NiO, L7

Ytterbium
crystal structure and physical properties of the carbides UAl_3C_3 and $YBAl_3C_3$, 321
Yttria
CVD of Y_2O_3 from YCl_3–CO_2–H_2–Ar gas mixtures: an experimental study, 77
Yttrium
analysis of $YBa_2Cu_3O_{7-\delta}$ crystal growth from $BaCO_3$–CuO–Y_2O_3 charges, 361
Ca[($Ni_{1-x}Li_x$)N]: limited solid solutions ($0 \leqslant x \leqslant 0.58$) in the system Ca[NiN] (Y[CoC]-type structure)-Ca[LiN] (modified fluorite-type structure), 339

Zeolites
luminescent properties of RE–silicalite-I and RE–ZSM-5 zeolites synthesized by direct hydrothermal crystallization, 267

Zinc
zinc thermodynamic activities in Co–Ni–Zn$\beta'1$ and $\beta 1$ phases, 99
Zirconium
formation of the amorphous phase in Zr_2Al by H absorption and the effects of Ti substitution on the amorphization behaviour, 45
kinetics of deposition of zirconia-based ceramics from $ZrCl_4$–H_2–CO_2–Ar gas mixtures, 65
single crystal X-ray study of Zr_3NiO, L7
structural study of hyperstoichiometric alloys $ZrMn_{2+x}$ and their hydrides, 241